


**Declaration of performance (EN)  
according to EU Construction Products Regulation  
No. 305/2011  
No. DoP-176-BG  
V3**



**GRASPOINTNER**  
Sustainable innovation.



**BG-FILCOTEN**

1. Unique identification code of the product-type:	Plastic grates and covers for FILCOTEN HPC (High Performance Concrete) channels for vehicular and pedestrian areas according to standard EN 1433													
2. Type, batch or serial number required pursuant to Article 11(4):	<b>BG-FILCOTEN tec</b> cl. B 125 kN													
<u>channel-type:</u> FILCOTEN tec NW 100:	<u>articlenumbers according to currently valid brochure/price list:</u> 17010401													
3. Intended use as foreseen by the manufacturer:	grates and covers integrated in linear drainage systems													
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):	BG-Graspointner GmbH Gessenschwandt 39, A-4882 Oberwang Telefon: +43 (0) 6233 / 8900-0 / Fax: +43 (0) 6233 / 8900-303 E-Mail: office@graspointner.at													
5. Name and contact address of the authorised representative specified in Article 12(2):	not applicable													
6. System as set out in annex V:	system 3													
7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:	The notified body, Staatlich akkreditierte OÖ. Boden- und Baustoffprüfstelle GmbH Schirmerstraße 12, A-4060 Leonding (No. 1661 according to building products guideline) based on type testing for drainage channels, on the basis of solid BG-Graspointner samples, have determined compliance with the requirements specified by the standard.													
8. Declared performance:	<table border="1"> <thead> <tr> <th data-bbox="194 1370 654 1393">essential characteristics</th> <th data-bbox="654 1370 1078 1393">performance</th> <th data-bbox="1078 1370 1522 1393">harmonised technical specification</th> </tr> </thead> <tbody> <tr> <td data-bbox="194 1402 654 1424">Water tightness (connection of elements)</td> <td data-bbox="654 1402 1078 1424">NPD</td> <td data-bbox="1078 1402 1522 1527" rowspan="4">EN 1433:2006</td> </tr> <tr> <td data-bbox="194 1433 654 1456">Load capacity</td> <td data-bbox="654 1433 1078 1456">fulfilled</td> </tr> <tr> <td data-bbox="194 1464 654 1487">Deformation under load</td> <td data-bbox="654 1464 1078 1487">fulfilled</td> </tr> <tr> <td data-bbox="194 1496 654 1518">durability</td> <td data-bbox="654 1496 1078 1518">NPD</td> </tr> </tbody> </table>		essential characteristics	performance	harmonised technical specification	Water tightness (connection of elements)	NPD	EN 1433:2006	Load capacity	fulfilled	Deformation under load	fulfilled	durability	NPD
essential characteristics	performance	harmonised technical specification												
Water tightness (connection of elements)	NPD	EN 1433:2006												
Load capacity	fulfilled													
Deformation under load	fulfilled													
durability	NPD													
9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.	Signed for and on behalf of the manufacturer by:													
	Oberwang, 15.09.2020 (place and date of issue)	Friedrich Graspointner, GF (name and function)												