





Rinne / channel:



BH 30, beids. perf. / height 30, both-sided perf. / V/E
BG code: siehe Tabelle / see table:





BH 40, beids. perf. / height 40, both-sided perf. / V/E
BG code: siehe Tabelle / see table:





BH 50, beids. perf. / height 50, both-sided perf. / V/E
BG code: siehe Tabelle / see table:



BH 75, beids. perf. / height 75, both-sided perf. / V/E
BG code: siehe Tabelle / see table:



BH 90, beids. perf. / height 90, both-sided perf. / V/E
BG code: siehe Tabelle / see table:



Rinne / channel - Maße / dimensions [mm]					
Typ	Höhe height	Länge length	Gewicht weight	BG code V	BG code E
BG-FA RB 200 perforiert/perforated	30	1000	2,3 kg	23020201	23020301
BG-FA RB 200 perforiert/perforated	30	2000	4,5 kg	23020202	23020302
BG-FA RB 200 perforiert/perforated	40	1000	2,4 kg	23020203	23020303
BG-FA RB 200 perforiert/perforated	40	2000	4,8 kg	23020204	23020304
BG-FA RB 200 perforiert/perforated	50	1000	2,6 kg	23020205	23020305
BG-FA RB 200 perforiert/perforated	50	2000	5,2 kg	23020206	23020306
BG-FA RB 200 perforiert/perforated	75	1000	3,0 kg	23020207	23020307
BG-FA RB 200 perforiert/perforated	75	2000	6,0 kg	23020208	23020308
BG-FA RB 200 perforiert/perforated	90	1000	3,3 kg	23020209	23020309
BG-FA RB 200 perforiert/perforated	90	2000	6,5 kg	23020210	23020310
BG-FA RB 200 geschlossen/not perforated	30	1000	2,3 kg	23020221	23020321
BG-FA RB 200 geschlossen/not perforated	30	2000	4,5 kg	23020222	23020322
BG-FA RB 200 geschlossen/not perforated	40	1000	2,4 kg	23020223	23020323
BG-FA RB 200 geschlossen/not perforated	40	2000	4,8 kg	23020224	23020324
BG-FA RB 200 geschlossen/not perforated	50	1000	2,6 kg	23020225	23020325
BG-FA RB 200 geschlossen/not perforated	50	2000	5,2 kg	23020226	23020326
BG-FA RB 200 geschlossen/not perforated	75	1000	3,0 kg	23020227	23020327
BG-FA RB 200 geschlossen/not perforated	75	2000	6,0 kg	23020228	23020328
BG-FA RB 200 geschlossen/not perforated	90	1000	3,3 kg	23020229	23020329
BG-FA RB 200 geschlossen/not perforated	90	2000	6,5 kg	23020230	23020330



Alle Rinnen beidseitig perforiert und geschlossen erhältlich.
All channels available perforated on both sides and closed.

Legende / explanation:	
V:	verzinkter Stahl / galvanized steel
E:	Edelstahl / stainless steel

Roste, Abdeckungen / grates, covers:



Gitterrost / Mesh grating: MW 30/10

BG code: V 24520201 (24520202), E 24520301 (24520302); 3,8 kg (2,0 kg):




Maschenrost mit T-Einfassung/ Mesh grating with T-profile: MW 30/10

BG code: V 23520203; 4,5 kg:





Stegrost / Slotted grating:

BG code: V 23520201, E 23520301; 2,3 kg:




Lochrost / Perforsted grating: \varnothing 6mm

BG code: V 24520207 (24520208), E 24520307 (24520308); 3,5 kg (1,7 kg):




Längsstabrost / Longitudinal-bar grating: SW 10mm

BG code: V 24520203 (24520204), E 24520303 (24520304); 6,4 kg (3,2 kg):





Design-Längsstabrost / Design-Longitudinal-bar grating: SW 6mm

BG code: E 23520305 (23520306) 4,3 kg (2,2 kg):





Zubehör / accessories:



Ablaufteil, DN 100, BH 30, geschl. / outlet unit, DN 100, height 30, not perforated
BG code: V 23020251, E 23020351; 2,1 kg:





Ablaufteil, DN 100, BH 40, geschl. / outlet unit, DN 100, height 40, not perforated
BG code: V 23020252, E 23020352; 2,3 kg:





Ablaufteil, DN 100, BH 50, geschl. / outlet unit, DN 100, height 50, not perforated
BG code: V 23020253, E 23020353; 2,5 kg:



Ablaufteil, DN 100, BH 75, geschl. / outlet unit, DN 100, height 75, not perforated
BG code: V 23020254, E 23020354; 3,0 kg:




Ablaufteil, DN 100, BH 90, geschl. / outlet unit, DN 100, height 90, not perforated
BG code: V 23020255, E 23020355; 3,2 kg:




Zubehör / accessories:


Stirnplatte BH 30/40 / frontplate height 30/40
BG code: V 23920221, E 23920321; 0,1 kg:




Stirnplatte BH 50 / frontplate height 50
BG code: V 23920222, E 23920322; 0,1 kg:




Stirnplatte BH 75 / frontplate height 75
BG code: V 23920223; 0,1 kg:




Stirnplatte BH 90 / frontplate height 90
BG code: V 23920224; 0,1 kg:




Stirnplatte BH 75/90 / frontplate height 75/90
BG code: E 23920323; 0,1 kg:




Verschraubungsset (Bedarf je m 2 Stk.) /
locking set kit (2 pieces required per m)
BG code: V 24909012, E 24909013; 0,1 kg:



Verschraubungsset RB 200, BH40/50 /
locking set RB 200, BH40/50
BG code: V 24900012, E 24900013; 0,1 kg:



Überschubmuffe / connection sleeve
BG code: V 23920231, E 23920331; 0,1 kg:



Stichkanal / branch canal:
BG code: V 37851 (37852), E 37861 (37862); 1,1 kg (2,2 kg):

