




Rinne / channel:



BH 30, beids. perf. / height 30, both-sided perf. / V/E
BG code: siehe Tabelle / see table:





BH 40, beids. perf. / height 40, both-sided perf. / V/E
BG code: siehe Tabelle / see table:





BH 50, beids. perf. / height 50, both-sided perf. / V/E
BG code: siehe Tabelle / see table:



BH 75, beids. perf. / height 75, both-sided perf. / V/E
BG code: siehe Tabelle / see table:



BH 100, beids. perf. / height 100, both-sided perf. / V/E
BG code: siehe Tabelle / see table:



Rinne / channel - Maße / dimensions [mm]					
Typ	Höhe height	Länge length	Gewicht weight	BG code V	BG code E
BG-FA RB 150 perforiert/perforated	30	1000	1,7 kg	23015201	23015301
BG-FA RB 150 perforiert/perforated	30	2000	3,4 kg	23015202	23015302
BG-FA RB 150 perforiert/perforated	40	1000	1,9 kg	23015203	23015303
BG-FA RB 150 perforiert/perforated	40	2000	3,7 kg	23015204	23015304
BG-FA RB 150 perforiert/perforated	50	1000	2,0 kg	23015205	23015305
BG-FA RB 150 perforiert/perforated	50	2000	4,0 kg	23015206	23015306
BG-FA RB 150 perforiert/perforated	75	1000	2,5 kg	23015207	23015307
BG-FA RB 150 perforiert/perforated	75	2000	5,0 kg	23015208	23015308
BG-FA RB 150 perforiert/perforated	100	1000	2,9 kg	23015209	23015309
BG-FA RB 150 perforiert/perforated	100	2000	5,8 kg	23015210	23015310
BG-FA RB 150 geschlossen/not perforated	30	1000	1,8 kg	23015221	23015321
BG-FA RB 150 geschlossen/not perforated	30	2000	3,6 kg	23015222	23015322
BG-FA RB 150 geschlossen/not perforated	40	1000	2,0 kg	23015223	23015323
BG-FA RB 150 geschlossen/not perforated	40	2000	3,9 kg	23015224	23015324
BG-FA RB 150 geschlossen/not perforated	50	1000	2,1 kg	23015225	23015325
BG-FA RB 150 geschlossen/not perforated	50	2000	4,2 kg	23015226	23015326
BG-FA RB 150 geschlossen/not perforated	75	1000	2,6 kg	23015227	23015327
BG-FA RB 150 geschlossen/not perforated	75	2000	5,2 kg	23015228	23015328
BG-FA RB 150 geschlossen/not perforated	100	1000	3,0 kg	23015229	23015329
BG-FA RB 150 geschlossen/not perforated	100	2000	5,9 kg	23015230	23015330


Alle Rinnen beidseitig perforiert und geschlossen erhältlich.
All channels available perforated on both sides and closed.

Legende / explanation:	
V:	verzinkter Stahl / galvanized steel
E:	Edelstahl / stainless steel

Roste, Abdeckungen / grates, covers:


Gitterrost / Mesh grating: MW 30/10

BG code: V 23515201 (23515202), E 23515301 (23515302); 3,0 kg (1,5 kg):




Längsstabrost / Longitudinal-bar grating: SW 10mm

BG code: V 23515203 (23515204), E 23515303 (23515304); 4,6 kg (2,3 kg):





Design-Längsstabrost / Design-Longitudinal-bar grating: SW 6mm

BG code: E 23515305 (23515306) 3,4 kg (1,7 kg):





Zubehör / accessories:



Ablaufteil, DN 100, BH 30, geschl. / outlet unit, DN 100, height 30, not perforated
BG code: V 23015251, E 23015351; 1,8 kg:





Ablaufteil, DN 100, BH 40, geschl. / outlet unit, DN 100, height 40, not perforated
BG code: V 23015252, E 23015352; 1,9 kg:





Ablaufteil, DN 100, BH 50, geschl. / outlet unit, DN 100, height 50, not perforated
BG code: V 23015253, E 23015353; 2,0 kg:



Ablaufteil, DN 100, BH 75, geschl. / outlet unit, DN 100, height 75, not perforated
BG code: V 23015254, E 23015354; 2,5 kg:




Ablaufteil, DN 100, BH 100, geschl. / outlet unit, DN 100, height 100, not perforated
BG code: V 23015255, E 23015355; 2,9 kg:




Zubehör / accessories:

Stirnplatte BH 30/40 / frontplate height 30/40
BG code: V 23915221, E 23915321; 0,1 kg:




Stirnplatte BH 50/75/100 / frontplate height 50/75/100
BG code: V 23915222, E 23915322; 0,1 kg:



Verschraubungsset (Bedarf je m 2 Stk.) /
locking set kit (2 pieces required per m)
BG code: V 24909012, E 24909013; 0,1 kg:



Verschraubungsset RB 150, BH40/50 /
locking set RB 150, BH40/50
BG code: V 24900024, E 24900025; 0,1 kg:



Überschubmuffe / connection sleeve
BG code: V 23915231, E 23915331; 0,1 kg:

