





Rinne / Channel:

BIG I G, H415
BG code: siehe Tabelle / see table:



BIG I G, H520
BG code: siehe Tabelle / see table:




Rinne / channel - Maße / dimensions [mm]					
BG code G	Typ type	Höhe A height A	Höhe B height B	Länge length	Gewicht [kg] weight [kg]
41530100	D400	415	415	1000	278
41530101	D400	520	520	1000	321
41530110	E600	415	415	1000	281,5
41530112	E600	415	415	3000	844,5
41530111	E600	520	520	1000	325,2
41530113	E600	520	520	3000	975,6
41530120	F900	415	415	1000	286,6
41530122	F900	415	415	3000	859,8
41530121	F900	520	520	1000	330,5
41530123	F900	520	520	3000	991,5


Legende / explanation:	
V:	verzinkter Stahl / galvanized steel
G:	Gußeisen-Zarge / cast iron edge
GJS:	Gußeisen / ductil iron

Roste, Abdeckungen / grates, covers:

Guß-Längsstabrost SV / Ductile iron longitudinal bar grating: MW 25/14, E600
BG code inkl. Verschraubungsmaterial / incl. bolting material: GJS 22785; 16,9 kg




Guß-Stegrost / Ductile iron slotted grating: SW 16/148, F900
BG code inkl. Verschraubungsmaterial / incl. bolting material: GJS 22083; 26,1 kg




Zubehör / accessories:


Stirnplatte / Front cap:
BG code: V 22250; 1,3 kg




Endplatte m. A. / End cap w. o.:
BG code: V 22251; 1,2 kg



Stirnplatte / Front cap:
BG code: V 49030202; 1,7 kg



Endplatte m. A. / End cap w. o.:
BG code: V 49030203; 1,6 kg



Forsheda-Dichtung /
forsheda sealing DN200:
BG code: 31312; 0,6 kg

