





Rinne / Channel:



FCT pro NW200 mini 100/120 V-E
BG code: siehe Tabelle/ see table:





FCT pro NW200 mini 100/120 G
BG code: siehe Tabelle/ see table:





FCT pro NW200 mini 100/120 P
BG code: siehe Tabelle/ see table:





FCT pro NW200 mini 200 V-E
BG code: siehe Tabelle/ see table:



FCT pro NW200 mini 200 G
BG code: siehe Tabelle/ see table:



FCT pro NW200 mini 200 P
BG code: siehe Tabelle/ see table:





Rinne / channel - Maße / dimensions [mm]										
BG code G	BG code V	BG code E	BG code P	Typ	Höhe A height A	Höhe B height B	Länge length	Gewicht weight G [kg]	Gewicht weight V/E [kg]	Gewicht weight P [kg]
10520102	10520202	10520302	10520402	mini 100	100	100	1000	22,8	21,3	19,3
10520100	10520200	10520300	10520400	mini 120	120	120	1000	24,4	23,2	20,9
10520101	10520201	10520301	10520401	mini 200	200	200	1000	29,4	28,5	25,9

Legende / explanation:	
FCT:	FILCOTEN HPC
V:	verzinkter Stahl / galvanized steel
E:	Edelstahl / stainless steel
G:	Guß Eisen / ductile iron
H:	Holz / wood

Roste, Abdeckungen / grates, covers:

Gitterrost / Mesh grating: MW30/10, C250

BG code: V 17020222 (17020223), E 17020322 (17020323); 8,8 kg (4,5 kg):





C (1:2)





Gitterrost / Mesh grating: MW25/10, D400

BG code: V 17020226 (17020227), E 17020326 (17020327); 15,7 kg (8 kg):




Lochrost / Perforated grating: Ø6, C250

BG code: V 17020228 (17020229), E 17020328 (17020329); 13,5 kg (6,7 kg):




Roste, Abdeckungen / grates, covers:


Gußrost / Ductile iron grating: MW29/13, C250
BG code: GJS 17020101; 7,3 kg:




Gußrost / Ductile iron grating: MW29/13, D400
BG code: GJS 17020104; 7,6 kg:




Gußrost / Ductile iron grating: KIARO, D400
BG code: GJS 17020183; 7,9 kg:




Gußrost / Ductile iron grating: VIA, D400
BG code: GJS 17020184; 8,2 kg:




Guß-Stegrost / Ductile iron slotted grating: SW14/150, E600
BG code: GJS 17020105; 8,9 kg:




Guß-Designrost / Ductile iron design grating: VILLE, E600
BG code: GJS 17020180; 10,8 kg:




Guß-Stegrost / Ductile iron slotted grating: SW14/200, D400
BG code: GJS 17020108; 7,9 kg:
4-fach verschraubbar/4-times bolted



Gußrost / Ductile iron grating: MW22/13, E600
BG code: GJS 17020103; 8,8 kg:
4-fach verschraubbar/4-times bolted



Gußrost / Ductile iron grating: SW2x14/95, F900
BG code: GJS 17020107; 12,3 kg:
4-fach verschraubbar/4-times bolted




Zubehör / accessories:

Sinkkasten / Sump unit:

inkl. Schlammemeier / incl. silt bucket (22512; 0,7 kg)


BG code: V 10620292, E 10620392; 48,7 kg:



Sinkkasten / Sump unit:

inkl. Schlammemeier / incl. silt bucket (22512; 0,7 kg)


BG code: G 10620190; 49,1 kg:



Sinkkasten / Sump unit:


inkl. Schlammemeier / incl. silt bucket (22512; 0,7 kg)

BG code: P 10620490; 46,7 kg:




Stirn-/ Endplatte / End cap:

BG code: V 19020230, E 19020330; 0,8 kg:




Stirn-/ Endplatte / End cap:

BG code: V 19020231, E 19020331; 1 kg:




Stirn-/ Endplatte / End cap:

BG code: V 19015200, E 19015300; 0,3 kg:



Vandalismus Verriegelung / Anti-vandalism locking device

BG code: 32089; 0,1 kg:



Verschraubungsmaterial / Bolting material:

BG code: V 32103:

BG code: E 32109:

